

Version 9

Revision Date 21.07.2006 Print Date 21.07.2006

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT INFORMATION

Product name : ACTELLIC 050 EC

Design Code : A5832C

Use : Insecticide

Company : Syngenta Crop Protection AG

Postfach

CH-4002 Basel Switzerland

Telephone : +41 61 323 11 11

Telefax : +41 61 323 12 12

Emergency : +44 1484 538444

telephone number





Harmful [

Dangerous for the environment

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	EC-No.	Symbol(s)	R-phrase(s)	Concentration
pirimiphos-methyl	29232-93-7	249-528-5	Xn, N	R22 R50/53	50 % W/W
solvent naphtha (petroleum), light arom.	64742-95-6	265-199-0	Xn, N	R10 R20 R36/37/38 R51/53 R65	40 - 50 % W/W
benzenesulfonic acid, dodecyl-, calcium salt	26264-06-2	247-557-8	Xn	R10 R37/38 R41 R67	5 - 10 % W/W

For the full text of the R phrases mentioned in this Section, see Section 16.

Version 9 Page 1 of 10



Version 9

Revision Date 21.07.2006 Print Date 21.07.2006

3. Hazards identification

Harmful by inhalation and if swallowed.

Irritating to eyes and respiratory system.

Harmful: may cause lung damage if swallowed.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Flammable.

4. FIRST AID MEASURES

General advice : Have the product container, label or Material Safety Data

Sheet with you when calling the Syngenta emergency number, a poison control center or physician, or going for treatment.

Inhalation : Remove to fresh air.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial

respiration.

Call a physician or Poison Control Centre immediately.

Inhalation : Remove to fresh air.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial

respiration.

Call a physician or Poison Control Centre immediately.

Skin contact : Take off contaminated clothing and shoes immediately.

Wash off immediately with soap and plenty of water.

If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

Ingestion : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Symptoms: The symptoms are of cholinesterase inhibition

Medical advice : Call Syngenta at the emergency number shown in this

document, a poison control center or doctor immediately for

treatment advice.

Consider taking venous blood for determination of blood

cholinesterase activity (use heparin tube)

Administer atropine sulfate, either by intramuscular or intravenously, depandant on severity of poisoning

Specific antidotes are oximes (e.g. Pralidoxime) or Toxogonin

Version 9 Page 2 of 10



Version 9

Revision Date 21.07.2006 Print Date 21.07.2006

5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

Extinguishing media which must not be used

for safety reasons

: Do not use a solid water stream as it may scatter and spread

fire

Specific hazards during

fire fighting

As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous products

of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Flash back possible over considerable distance.

Special protective equipment for fire-

fighters

In the event of fire, wear self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Keep people away from and upwind of spill/leak. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Remove all sources of ignition. Pay attention to flashback.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system.

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Additional advice : If the product contaminates rivers and lakes or drains inform

respective authorities.

Version 9 Page 3 of 10



Version 9

Revision Date 21.07.2006 Print Date 21.07.2006

7. HANDLING AND STORAGE

HANDLING

Advice on safe handling : Avoid contact with skin and eyes.

When using, do not eat, drink or smoke.

Take precautionary measures against static discharges. Use only in an area containing flame proof equipment.

For personal protection see section 8.

STORAGE

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated

place

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

Keep away from heat and sources of ignition. Keep away from combustible material. Keep in an area equipped with sprinklers.

No smoking.

Other data : Physically and chemically stable for at least 2 years when

stored in the original unopened sales container at ambient

temperatures.

Version 9 Page 4 of 10



Version 9

Revision Date 21.07.2006 Print Date 21.07.2006

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with workplace control parameters

Components	Exposure limit(s)	Value type	Source
pirimiphos-methyl	3 mg/m3	8 h TWA	SYNGENTA
solvent naphtha (petroleum), light arom.	100 mg/m3	8 h TWA	SUPPLIER

ENGINEERING MEASURES

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

If airborne mists or vapors are generated, use local exhaust ventilation controls.

Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit.

Where necessary, seek additional occupational hygiene advice.

PERSONAL PROTECTIVE EQUIPMENT

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

Personal protective equipment should be certified to

appropriate standards.

Respiratory protection : A particulate filter respirator may be necessary until effective

technical measures are installed.

Protection provided by air-purifying respirators is limited. Use a self-contained breathing apparatus in cases of

emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not

provide adequate protection.

Hand protection : Chemical resistant gloves are not usually required.

Select gloves based on the physical job requirements.

Eye protection : If eye contact is possible, use tight-fitting chemical safety

goggles.

Skin and body protection: No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid clear
Colour : light brown
Flash point : 48 °C

Oxidizing properties : not oxidizing

Version 9 Page 5 of 10



Version 9

Revision Date 21.07.2006 Print Date 21.07.2006

Explosive properties : Not explosive

Density : 1.02 g/ml at 20 °C

Solubility in other solvents : Miscible

in Water

Surface tension : 35.3 mN/m at 25 °C

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

: Combustion or thermal decomposition will evolve toxic and

irritant vapors.

Hazardous reactions : None known.

Hazardous polymerization does not occur.

Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 female Rat, 1,732 mg/kg

The toxicological data has been taken from products of similar

composition.

: LD50 male Rat, 1,522 mg/kg

The toxicological data has been taken from products of similar

composition.

Acute dermal toxicity : LD50 Rat, > 2,000 mg/kg

The toxicological data has been taken from products of similar

composition.

Skin irritation : Rabbit: Slightly Irritating

The toxicological data has been taken from products of similar

composition.

Eye irritation : Rabbit: Moderately Irritating

The toxicological data has been taken from products of similar

composition.

Sensitization : guinea pig: Not a skin sensitizer in animal tests.

The toxicological data has been taken from products of similar

composition.

Long term toxicity

Did not show carcinogenic, teratogenic or mutagenic effects in

animal experiments.

Version 9 Page 6 of 10



Version 9

Revision Date 21.07.2006 Print Date 21.07.2006

12. ECOLOGICAL INFORMATION

ELIMINATION INFORMATION (PERSISTENCE AND DEGRADABILITY)

Bioaccumulation : Pirimiphos-methyl has high potential for bioaccumulation

Stability in water : Pirimiphos-methyl is not persistent in water

Stability in soil : Pirimiphos-methyl is not persistent in soil.

Mobility : Pirimiphos-methyl has low mobility in soil.

ECOTOXICITY EFFECTS

Toxicity to fish : LC50 Oncorhynchus mykiss (rainbow trout), 1.3 mg/l , 96 h

Based on test results obtained with similar product.

Toxicity to aquatic

invertebrates

: EC50 Daphnia magna (Water flea), $0.5~\mu g/l$, 48 h

Based on test results obtained with similar product.

Toxicity to algae : ErC50 Pseudokirchneriella subcapitata (green algae), 7.4

mg/l Based on test results obtained with similar product.

13. DISPOSAL CONSIDERATIONS

Product : Do not contaminate ponds, waterways or ditches with chemical

or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging: Empty remaining contents.

Triple rinse containers.

Empty containers should be taken for local recycling or waste

disposal.

Do not re-use empty containers.

14. TRANSPORT INFORMATION

Version 9 Page 7 of 10



Version 9

Revision Date 21.07.2006 Print Date 21.07.2006

Land transport

ADR/RID:

UN-No.: 1993 Class: 3 Danger Label Number: 3 Packaging group III

Proper shipping name: FLAMMABLE LIQUID, N.O.S.

(SUBSTITUTED BENZENOID HYDROCARBONS AND PIRIMIPHOS-METHYL)

Sea transport

IMDG:

UN-No.: 1993
Class: 3
Danger Label Number: 3
Packaging group: III

Proper shipping name: FLAMMABLE LIQUID, N.O.S.

(SUBSTITUTED BENZENOID HYDROCARBONS AND PIRIMIPHOS-METHYL)

Marine pollutant : Marine pollutant

Air transport

IATA-DGR

UN-No.: 1993
Class: 3
Danger Label Number: 3
Packaging group: III

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(SUBSTITUTED BENZENOID HYDROCARBONS AND PIRIMIPHOS-

METHYL)

15. REGULATORY INFORMATION

Labelling according to EC Directives

Hazardous components which must be listed on the label:

pirimiphos-methyl

solvent naphtha (petroleum), light arom.

Symbol(s) : Xn Harmful

N Dangerous for the environment

Version 9 Page 8 of 10



Version 9

Revision Date 21.07.2006 Print Date 21.07.2006

R-phrase(s) : R10 Flammable.

R20/22 Harmful by inhalation and if swallowed.
R36/37 Irritating to eyes and respiratory system.
Very toxic to aquatic organisms, may cause

long-term adverse effects in the aquatic

environment.

R65 Harmful: may cause lung damage if

swallowed.

S-phrase(s) : S 2 Keep out of the reach of children.

S13 Keep away from food, drink and animal

feedingstuffs.

S20/21 When using do not eat, drink or smoke.

S35 This material and its container must be

disposed of in a safe way.

S57 Use appropriate container to avoid

environmental contamination.

S62 If swallowed, do not induce vomiting: seek

medical advice immediately and show this

container or label.

Special labelling of certain preparations

pecial labelling of : To avoid risks to man and the environment, comply with the

instructions for use.

Note : The product is classified and labelled in accordance with

Directive 1999/45/EC.

Version 9 Page 9 of 10



Version 9

Revision Date 21.07.2006 Print Date 21.07.2006

16. OTHER INFORMATION

Further information

Text of R phrases mentioned in Section 2:

R10 Flammable.

R20 Harmful by inhalation. R22 Harmful if swallowed.

R36/37/38 Irritating to eyes, respiratory system and skin.
R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R65 Harmful: may cause lung damage if swallowed. R67 Vapours may cause drowsiness and dizziness.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

A vertical bar in the left margin indicates an amendment from the previous version.

Product names are a trademark or registered trademark of a Syngenta Group Company.

Version 9 Page 10 of 10